

MSDS / Material Safety Data Sheet

Radiant Colors Tattoo Ink

1: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer:

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

800 515 1808

www.radiantcolors.com

Product Name: HARAJUKU OUTLINING

Distributor:

Nordic Tattoo Supplies Oy

Varasjoenkatu 5

81700 Lieksa, Finland

+358 40 846613

sales@nordictattoosupplies.com

www.nordictattoosupplies.com

2: COMPOSITION / INFORMATION AND INGREDIENTS

Black

CI # 77226

Water

CAS # 7732-18-5

Glycerin

CAS # 56-81-5

3: HAZARDS IDENTIFICATION

INGESTION:

In large quantities may cause drowsiness, headache and increase in blood pressure.

EMERGENCY OVERVIEW: Do not allow large amounts to enter natural waterways or sewers.

May be toxic to aquatic life.

POTENTIAL HEALTH EFFECTS: This product can cause mild eye irritation.

ROUTE OF ENTRY: Skin, ingestion and inhalation

INHALATION: The product may cause minor temporary respiratory problems.

SKIN CONTACT: Can cause mild skin irritation

Nordic Tattoo Supplies Oy

This information may not be reproduced or copied

Unauthorized use is prohibited

EYE CONTACT: The product can cause moderate irritation, tearing and reddening, but is not likely to permanently injure eye tissue.

4: FIRST AID MEASURES

INHALATION: Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

SKIN CONTACT: Wash affected area with soap and water and remove any contaminated clothing. Get medical attention if irritation persists.

EYE CONTACT: Flush with plenty of water for 15 minutes, especially under lower eyelid.

INGESTION: Do not induce vomiting, consult a local physician or poison control.

5: FIRE FIGHTING MEASURES

Flammability Limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO₂, dry chemical

Special Fire Fighting Prodecures: Do not enter fire area without proper protection including self contained beathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop the product into the appropriate waste container for disposal. Soap and Water may be used as necessary.

7: HANDLING AND STORAGE

Handling: Wash hands throughly after handling

Storage: Store in a moderately cool well ventilated area away from direct heat.
Avoid freezing (32°F/0°C)
Keep containers closed.

8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure control: Local exhaust recommended as well as safety glasses & gloves
Personal Protection: Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eye wash fountains should be available

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: The product is a black liquid

10: STABILITY AND REACTIVITY

General: This product is a stable compound and hazardous polymerizations do not occur.
Since it contains water do not allow it to freeze.

11: TOXICOLOGICAL INFORMATION

Carcinogenicity: None
Mutagenicity: None indicated
Reproductive Effects: None indicated

12: ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

13: DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or according to local regulations

14: TRANSPORTATION INFORMATION

DOT Shipping name: Not required
DOT Hazard Class: None
DOT Label: None
DOT Placard: None

15: REGULATORY INFORMATION

OSHA: Maybe mildly irritating to eyes

16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Users assume all risk associated with the use of the material

The distributor assumes no responsibility for personal injury or property damage caused by the material.