

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 378823/1 377662/4 376667/4 377662/6</b>
---------------------------	--

[Order date]	---
[Date received]	---
[Service date]	11.07.2017


[tattoolab.eu](http://tattoolab.eu)

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	ANONYMOUS / S001
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	< $1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	< $1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	< $1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/1**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] BANANA / S002  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/3 376667/4**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] BLOOD / S003  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; - L06.00-18: Part 5  
*tested on a single representative sample*


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/3 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] BORDEAUX / S004  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 377662/4 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] BROWN / S005  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/3**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] BUBBLEGUM / S006  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/1 378823/3 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] BURGUNDY / S007  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 377662/4 376667/4 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] BURNT ORANGE / S008  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 377662/4 378823/3 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] CHOCOLATE / S009  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 377662/6**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] COOL GREY / S010  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; - L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/1 378823/3**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] CORAL / S011  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 377662/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] CREAM ORANGE / S012  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; - L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/3 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] DARK BLOOD / S013  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/3 376667/4 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] DEEP RED / S014  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 377662/4 378823/3**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] DIABLO / S015  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 378823/1 377662/4 376667/4 377662/6</b>
---------------------------	---

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

[tattoolab.eu](http://tattoolab.eu)

## Certificate


[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	DULCE DE LECHE / S016
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility  
Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/1 377662/4**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017


tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] EL DORADO / S017  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; - L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 377662/4 378823/3 376667/4 377662/6</b>
---------------------------	--

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

[tattoolab.eu](http://tattoolab.eu)

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	FIG / S018
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 378823/1 377662/4 376667/4</b>
---------------------------	---

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

[tattoolab.eu](http://tattoolab.eu)

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	FLESH / S019
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL <sup>®</sup> -No	380673 376667/7 378823/3 376667/4
----------------------	-----------------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	FUCHSIA / S020
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/1 377662/4**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] GOLDEN ORANGE / S021  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; - L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility  
Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/3 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] GRAPE / S022  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] LAVENDER / S023  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/3 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] LILAC / S024  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	< $1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	< $1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	< $1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	LINING BLACK / S025
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL <sup>®</sup> -No	380673 376667/7 378823/3 376667/4
----------------------	-----------------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	LOLLIPOP / S026
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 378823/1 378823/3 376667/4</b>
---------------------------	---

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	MAGENTA / S027
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	MATTE BLACK / S028
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/1 377662/6**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017


tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] MOLD / S029  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/1 377662/4 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] MUSTARD / S030  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 378823/1 377662/4 377662/6</b>
---------------------------	---

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

[tattoolab.eu](http://tattoolab.eu)

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	OCHRE / S031
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 378823/1 378823/3 377662/6</b>
---------------------------	---

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	OLD ROSE / S032
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/1 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] OLIVE / S033  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/4</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	ORANGE / S034
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 377662/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] PEACH ORANGE / S035  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/3**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017


tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] PINK / S036  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	< $1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	< $1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	< $1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 376667/4**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] PURPLE / S037  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 377662/4 378823/3**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] RED / S038  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/3**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] ROSE / S039  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] SILVER / S040  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] SMOKE / S041  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/1 377662/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] SUNSHINE / S042  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 378823/3</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	SUPER RED / S043
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL <sup>®</sup> -No	<b>380673 376667/7 378823/1 377662/4 378823/3 377662/6</b>
----------------------	--

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	TAUPE / S044
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/4 378823/3 376667/4 377662/6</b>
---------------------------	---

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

[tattoolab.eu](http://tattoolab.eu)

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	TIGER / S045
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 376667/4**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] VIOLET / S046  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/3**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] WATERMELON / S047  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	WHITE / S048
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 378823/1</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	YELLOW / S049
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 378823/1 377662/4 378823/3 376667/4 377662/6</b>
---------------------------	---

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	YERBA / S050
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 378823/1 377662/4</b>
---------------------------	--

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	SALMON / S051
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	DARK GREY WASH / SW01
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	MEDIUM GREY WASH / SW02
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

**Part 5**  
Investigation of Sterility  
Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	LIGHT GREY WASH / SW03
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	EXTRA LIGHT GREY WASH / SW04
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	HORITOMO BLACK / SHB1
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	HORITOMO DARK / SHB2
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	HORITOMO MEDIUM / SHB3
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 377662/6</b>
---------------------------	------------------------

[Order date]	---
--------------	-----

[Date received]	---
-----------------	-----

[Service date]	11.07.2017
----------------	------------

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	HORITOMO LIGHT / SHB4
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 377662/4 378823/3**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017


tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] HORITOMO SHU / SH01  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; - L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

**CTL<sup>®</sup>-No** 380673 376667/7 376667/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] HORITOMO KIKYO / SH02  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*


**Part 5**

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	< $1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	< $1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	< $1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 377662/4 376667/4 377662/6</b>
---------------------------	---

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	HORITOMO BENGARA / SH03
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>


**Part 5**

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 378823/3**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017


tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] HORITOMO SAKURA / SH04  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; - L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL <sup>®</sup> -No	<b>380673 376667/7 378823/1 377662/4 377662/6</b>
----------------------	---

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	HORITOMO ODO / SH05
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/1 377662/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] HORITOMO KOJI / SH06  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 376667/7 378823/1 377662/4 377662/6</b>
---------------------------	---

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

[tattoolab.eu](http://tattoolab.eu)

## Certificate


[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	GARVER TORA / SG01
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>

### Part 5

Investigation of Sterility  
Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

<b>CTL<sup>®</sup>-No</b>	<b>380673 378823/1 377662/4 378823/3 377662/6</b>
---------------------------	---

[Order date]	---
[Date received]	---
[Service date]	11.07.2017

[tattoolab.eu](http://tattoolab.eu)

## Certificate

[Article]	Tattoo Colour
[Brand]	SOLID INK
[Colour/product code]	GARVER TIGER BLOOD / SG02
[Test]	Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5 <i>tested on a single representative sample</i>


### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 377662/4 378823/3**

[Order date] ---  
[Date received] ---  
[Service date] 11.07.2017


tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] GARVER BLOOD ORANGE / SG03  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 378823/1 377662/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] GARVER GOLD / SG04  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4; - L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 376667/4 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] GARVER GHOST FACE GREY / SG05  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

<b>Part 5</b> Investigation of Sterility Detection limit: $1.0 \times 10^1$ CFU/g	
	Results
<b>Microbiological test:</b> pseudomonads = King A, King B, Oxidase test acc. to CoE ResAP(2008)1	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 377662/4 378823/3**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] GARVER PEONY PINK / SG06  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345

**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK  
16600 NW 54th Ave Unit #6  
Miami 33014, Florida  
USA

CTL<sup>®</sup>-No **380673 376667/7 376667/4 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

## Certificate

[Article] Tattoo Colour  
[Brand] SOLID INK  
[Colour/product code] GARVER DIRTY PURPLE / SG07  
[Test] Sterility acc. to CoE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5  
*tested on a single representative sample*

### Part 5

Investigation of Sterility

Detection limit:  $1.0 \times 10^1$  CFU/g

	Results
<b>Microbiological test:</b> <b>pseudomonads = King A, King B,</b> <b>Oxidase test acc. to CoE</b> <b>ResAP(2008)1</b>	$< 1.0 \times 10^1$ CFU/g
<b>Anaerobes sulfite-reducing</b> <b>sporulating bacteria acc. to ASU</b> <b>§64 LFGB L59.00-4</b>	$< 1.0 \times 10^1$ CFU/g
<b>Aerobes mesophilic sporulating</b> <b>bacteria acc. to ASU §64 LFGB</b> <b>L06.00-18</b>	$< 1.0 \times 10^1$ CFU/g

BIELEFELD, 11. JULY 2017

.....  
Helmut Meyer (Lab manager)

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0  
[Email] sekretariat@ctl-mails.de  
[Homepage] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345