

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/4 376667/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] ANONYMOUS / S001

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no 380673 376667/7 378823/1

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] BANANA / S002

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|---|------------------------------|-----------|----------|--|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

 [Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

 [Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

 [Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no 380673 378823/3 376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour

[Brand] SOLID INK

[Colour/product code] BLOOD / S003

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
 16600 NW 54th Ave Unit #6
 Miami 33014, Florida
 USA

CTL[®] no **380673 378823/3 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] BORDEAUX / S004

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|---|------------------------------|-----------|----------|--|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, GERMANY
 [Managing Director] Dr. rer. nat. Gerald Prior
 [Based in] Bielefeld
 [Register of Companies] AG Bielefeld, HRB 35-412
 [VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, GERMANY
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/4 376667/4


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] BROWN / S005
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/3**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] BUBBLEGUM / S006

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 378823/1 378823/3
376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] BURGUNDY / S007

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 377662/4 376667/4
377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] BURNT ORANGE / S008

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 377662/4 378823/3**
377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] CHOCOLATE / S009

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 377662/6**


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] COOL GREY / S010
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
378823/3

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] CORAL / S011

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no 380673 376667/7 377662/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour

[Brand] SOLID INK

[Colour/product code] CREAM ORANGE / S012

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b


Part 1aInvestigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1
Detection limit: 1 ppm; limit: as low as technically avoidable**DIN EN 14362, § 64 LFGB 82.02-2,3,4,9****GC/MS analysis
HPLC analysis**

| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
|--------------|------------------------------|-----------|----------|--------------|-------------------------------------|-----------|-------------|
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |

Part 1bInvestigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1
Detection limit: 1 ppm**DIN EN 14362, § 64 LFGB 82.02-2,3,4,9****GC/MS analysis
HPLC analysis**

| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
|--------------|------------------------|-----------|----------|--------------|-----------------------|------------|----------|
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

 [Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

 [Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

 [Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 378823/3 376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] DARK BLOOD / S013

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 378823/3 376667/4**
377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] DEEP RED / S014

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/4 378823/3


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] DIABLO / S015
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 378823/1 377662/4**
376667/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] DULCE DE LECHE / S016

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 378823/1 377662/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] EL DORADO / S017

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 377662/4**
378823/3 376667/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] FIG / S018

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/4 376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] FLESH / S019

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/3**
376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] FUCHSIA / S020

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no 380673 378823/1 377662/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour

[Brand] SOLID INK

[Colour/product code] GOLDEN ORANGE / S021

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b


Part 1aInvestigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1
Detection limit: 1 ppm; limit: as low as technically avoidable**DIN EN 14362, § 64 LFGB 82.02-2,3,4,9****GC/MS analysis
HPLC analysis**

| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
|--------------|------------------------------|-----------|----------|--------------|-------------------------------------|-----------|-------------|
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |

Part 1bInvestigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1
Detection limit: 1 ppm**DIN EN 14362, § 64 LFGB 82.02-2,3,4,9****GC/MS analysis
HPLC analysis**

| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
|--------------|------------------------|-----------|----------|--------------|-----------------------|------------|----------|
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

 [Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

 [Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

 [Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/3**
376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] GRAPE / S022

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 376667/4**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] LAVENDER / S023

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/3**
376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] LILAC / S024

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] LINING BLACK / S025

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/3**
376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] LOLLIPOP / S026

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
378823/3 376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] MAGENTA / S027

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] MATTE BLACK / S028

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] MOLD / S029

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no **380673 378823/1 377662/4**
377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] MUSTARD / S030

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|---|------------------------------|-----------|----------|--|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

 [Address] Krackser Straße 12
33659 Bielefeld, GERMANY
 [Managing Director] Dr. rer. nat. Gerald Prior
 [Based in] Bielefeld
 [Register of Companies] AG Bielefeld, HRB 35-412
 [VAT ID No] DE 176 26 5000

 [Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
tattoolab.eu

 [Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] OCHRE / S031

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
378823/3 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] OLD ROSE / S032

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] OLIVE / S033

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
 16600 NW 54th Ave Unit #6
 Miami 33014, Florida
 USA

CTL[®] no 380673 377662/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] ORANGE / S034

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|---|------------------------------|-----------|----------|--|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, GERMANY
 [Managing Director] Dr. rer. nat. Gerald Prior
 [Based in] Bielefeld
 [Register of Companies] AG Bielefeld, HRB 35-412
 [VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, GERMANY
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 377662/4**


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] PEACH ORANGE / S035
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no 380673 376667/7 378823/3

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour

[Brand] SOLID INK

[Colour/product code] PINK / S036

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no 380673 376667/7 376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] PURPLE / S037

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|---|------------------------------|-----------|----------|--|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

 [Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

 [Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

 [Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/4 378823/3


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] RED / S038
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 376667/7 378823/3


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] ROSE / S039
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 376667/7 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] SILVER / S040

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 376667/7 377662/6

[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] SMOKE / S041
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] SUNSHINE / S042

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 378823/3

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] SUPER RED / S043

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no **380673 376667/7 378823/1**
377662/4 378823/3 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour

[Brand] SOLID INK

[Colour/product code] TAUPE / S044

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 377662/4 378823/3**
376667/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour

[Brand] SOLID INK

[Colour/product code] TIGER / S045

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 376667/7 376667/4


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] VIOLET / S046
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 376667/7 378823/3

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] WATERMELON / S047

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 376667/7

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] WHITE / S048

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 378823/1

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] YELLOW / S049

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/4 378823/3 376667/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] YERBA / S050

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] SALMON / S051

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] DARK GREY WASH / SW01

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] MEDIUM GREY WASH / SW02

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] LIGHT GREY WASH / SW03

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour

[Brand] SOLID INK

[Colour/product code] EXTRA LIGHT GREY WASH / SW04

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] HORITOMO BLACK / SHB1

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] HORITOMO DARK / SHB2

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] HORITOMO MEDIUM / SHB3

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] HORITOMO LIGHT / SHB4

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/4 378823/3

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] HORITOMO SHU / SH01

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 376667/4
377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] HORITOMO KIKYO / SH02

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 377662/4**
376667/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] HORITOMO BENGARA / SH03

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 376667/7 378823/3


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] HORITOMO SAKURA / SH04
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no **380673 376667/7 378823/1**
377662/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour

[Brand] SOLID INK

[Colour/product code] HORITOMO ODO / SH05

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 378823/1 377662/4


[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] HORITOMO KOJI / SH06
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 378823/1**
377662/4 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] GARVER TORA / SG01

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 378823/1 377662/4**
378823/3 377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] GARVER TIGER BLOOD / SG02

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 377662/4 378823/3

[Order date] ---
[Date received] ---
[Service date] 11.07.2017
tattoolab.eu

Certificate

[Article] Tattoo Colour
[Brand] SOLID INK
[Colour/product code] GARVER BLOOD ORANGE / SG03
[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017

Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no 380673 378823/1 377662/4

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] GARVER GOLD / SG04

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyTHE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USACTL[®] no **380673 376667/7 376667/4**
377662/6

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] GARVER GHOST FACE GREY / SG05

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|---|------------------------------|-----------|----------|--|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

 [Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

 [Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

 [Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
16600 NW 54th Ave Unit #6
Miami 33014, Florida
USA

CTL[®] no **380673 376667/7 377662/4
378823/3**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] GARVER PEONY PINK / SG06

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

THE SOLID INK
 16600 NW 54th Ave Unit #6
 Miami 33014, Florida
 USA

CTL[®] no **380673 376667/7 376667/4
 377662/6**

[Order date] ---

[Date received] ---

[Service date] 11.07.2017

tattoolab.eu

Certificate

[Article] Tattoo Colour


[Brand] SOLID INK

[Colour/product code] GARVER DIRTY PURPLE / SG07

[Test] Aromatic amines and carcinogens acc. to CoE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a Investigation of Aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm; limit: as low as technically avoidable | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
|--|------------------------------|-----------|----------|---|-------------------------------------|------------|-------------|
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthalene | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b Investigation of carcinogens classified in categories 1, 2 and 3 by the European Commission and mentioned in the Council directive 1967/548/EEC of 27 June 1967 according to CoE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | DIN EN 14362, § 64 LFGB 82.02-2,3,4,9 GC/MS analysis HPLC analysis | | | |
| Amount (ppm) | Amine | EC no | CAS no | Amount (ppm) | Amine | EC no | CAS no |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

BIELEFELD, 11. JULY 2017


 Helmut Meyer (Lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, GERMANY
 [Managing Director] Dr. rer. nat. Gerald Prior
 [Based in] Bielefeld
 [Register of Companies] AG Bielefeld, HRB 35-412
 [VAT ID No] DE 176 26 5000

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, GERMANY
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE 87 47850065 000 4005345