



Product Service

Technical Report No. 68.162.13.00044.01A
Dated 2013-01-22

Applicant:	AAB CO., LTD	
Address:	4 th Er Heng Road, Two Area in Jiang Nan Industrial Park, South Village, Panyu District, Guangzhou.	
Sample Description:	Titanium Pendant with Black PVD	
Style No.:	PSSA04	
Sample Receive Date:	2013-01-09	
Test Period:	From 2013-01-10 to 2013-01-21	
Test Requested and Conclusion:	Compliance with EU Regulation (EC) 1907/2006 (REACH) Annex XVII - Nickel Release	PASS
Test Results:	Refer to following page(s)	
Remark:	The result relates only to the items tested. The test item and sample were specified by the client.	


No extract, abridgment or abstraction from a test report may be published or used to advertise a product without the written consent of the Director of TÜV Product Service Ltd. The results contained herein apply only to the particular sample tested and to the specific test carried out and not to samples of the current production line.

Jiangsu TÜV Product Service Ltd. Shenzhen Branch
TÜV SÜD Group
6th Floor, H Hall, Century Craftwork Culture Square,
No. 4001, Fuqiang Road, Futian District,
Shenzhen 518048, P.R. China

Tel.: (86) 755 88286998
Fax: (86) 755 88285299

Technical Report No. 68.162.13.00044.01A **Dated 2013-01-22**

1. TESTED SUBJECT DESCRIPTION

SAMPLE NUMBER	TESTED MATERIAL DESCRIPTION	PHOTO
001	Black plating titanium pendant (PSSA04)	

2. TEST RESULT

2.1. NICKEL RELEASE

Test method: With reference to EN12472:2005+A1:2009 and EN 1811:2011

[Reporting limit: 0.1 $\mu\text{g}/\text{cm}^2/\text{week}$]

TEST ITEM	RESULT [$\mu\text{g}/\text{cm}^2/\text{week}$]
	SAMPLE 001
Nickel Release (Ni)	<0.1

Note:

- " $\mu\text{g}/\text{cm}^2/\text{week}$ " denotes microgram per square centimeter per week
- "<" denotes less than

Technical Report No. 68.162.13.00044.01A
Dated 2013-01-22

- Limit according to Regulation (EC) 1907/2006 (REACH) Annex XVII:

Non-body piercing articles (<0.5 µg/cm²/week)

Nickel release value (µg/cm ² /week)	Conclusion
≤ 0.28	Pass
0.28 – 0.88	Inconclusive *
≥0.88	Failed

Body piercing articles (<0.2 µg/cm²/week)

Nickel release value (µg/cm ² /week)	Conclusion
≤ 0.11	Pass
0.11 – 0.35	Inconclusive *
≥0.35	Failed

* Inconclusive means it is not possible to claim compliance with the REACH Regulation. It is suggested that the materials can be unsuitable and alternative materials should be used.

Prepared by



Serena Xu
Project Manager



Reviewed by



Rita Gao
Lab Manager